

1/4




FIG. 1

200
↘




FIG. 2

3/4




FIG. 3

400

SERVER	BOSQLDEV18	402
DATABASE	WEBSERVICES	404
APPLICATION NAME	PROTOTYPE	406
TABLE NAME	CUSTOMERS	408
<input checked="" type="radio"/> DISPLAY RESULTS <input type="radio"/> DOWNLOAD RESULTS		410
<div>CREATE</div>		412

The screenshot shows a web application interface (400) for creating a page-based application. It features a form with several input fields and a 'CREATE' button. The fields are organized into a grid-like structure. The first row contains 'SERVER' and 'BOSQLDEV18' (402). The second row contains 'DATABASE' and 'WEBSERVICES' (404). The third row is empty. The fourth row contains 'APPLICATION NAME' and 'PROTOTYPE' (406). The fifth row contains 'TABLE NAME' and 'CUSTOMERS' (408). The sixth row contains two radio buttons: 'DISPLAY RESULTS' (selected) and 'DOWNLOAD RESULTS' (410). The seventh row contains a 'CREATE' button (412).

FIG. 4

```
<html>
  <head>
    <title>Generated Prototype Application (Prototype)</title>
  </head>
  <body bgcolor="#ffffff">
    <h2>Generated <i>Prototype</i> Application</h2>
    <cfform action="Customers.cfm" method="post">
      <table border="1">
        <tr>
          <th align="left">CustomerName</th>
          <td>
            <cfinput type="text" name="CustomerName" value="" required="Yes"
              message="The CustomerName entry is required."
              size="60" maxlength="255">
          </td>
        </tr>
        <tr>
          <th align="left">CustomerActive</th>
          <td>
            <cfinput type="checkbox" name="CustomerActive" >
          </td>
        </tr>
        <tr>
          <th align="left">CustomerAge</th>
          <td>
            <cfinput type="text" name="CusomerAge" validate="integer"
              message="The CusomerAge entry must be an integer."
              required="Yes" value="">
          </td>
        </tr>
        <tr>
          <th align="left">StateCode</th>
          <td>
            <cfinput type="text" name="StateCode" value="" required="Yes"
              message="The StateCode entry is required." size="2" maxlength="2">
          </td>
        </tr>
        <tr>
          <td colspan="2" align="center">
            <input type="submit">
          </td>
        </tr>
      </table>
    </cfform>
  </body>
</html>
```

FIG. 5